

## 0. Creator

Yosuke Niwa<sup>1,2</sup> (niwa.yosuke@nies.go.jp)

1. National Institute for Environmental Studies, Japan
2. Meteorological Research Institute, Japan

## 1. Inversion system and settings

### System name

NISMON-CO<sub>2</sub> ver.2023.1

(refs: Niwa et al., 2017a,b, 2021, 2022)

### Transport model

NICAM-TM (Niwa et al., 2011; Niwa et al., 2017a)

Horizontal resolution: glevel-5 (~223 km)

Vertical layers: 40 (up to ~45km)

Meteorological data: horizontal winds are nudged towards JRA-55 (Kobayashi et al., 2015)

See more references listed below for transport performances.

### Flux model

The surface CO<sub>2</sub> fluxes that are input to NICAM-TM can be described as

$$f_{\text{CO}_2}(x, t) = f_{\text{fos}}(x, t) - \beta_{\text{GPP}}(f_{\text{GPP}}(x, t) + \Delta f_{\text{GPP}}(x, t)) + \beta_{\text{RE}}(f_{\text{RE}}(x, t) + \Delta f_{\text{RE}}(x, t)) \\ + f_{\text{other}}(x, t) + (1 + \Delta \alpha_{\text{fire}}(x, t))f_{\text{fire}}(x, t) \\ + f_{\text{ocn}}(x, t) + \Delta f_{\text{ocn}}(x, t),$$

where  $x$  and  $t$  represent flux location and time, respectively. Fluxes from fossil fuel use and cement production, gross primary production (GPP) and respiration (RE) of terrestrial biospheres, biomass burning, and oceans are denoted as  $f_{\text{fos}}$ ,  $f_{\text{GPP}}$ ,  $f_{\text{RE}}$ ,  $f_{\text{fire}}$ , and  $f_{\text{ocn}}$ , respectively. Other minor fluxes (e.g., land use change) are denoted as  $f_{\text{other}}$ , which are not optimized in the inversion. The above fluxes are prescribed by flux datasets prepared in advance and have monthly temporal resolution here. The above  $\Delta$  variables are optimized in the inversion; their temporal resolutions are all set monthly except for the ocean flux  $\Delta f_{\text{ocn}}$ . The coefficients  $\beta_{\text{GPP}}$  and  $\beta_{\text{RE}}$  are scaling factors that reproduce diurnal variations; they distribute fluxes at 3-hourly resolution from the monthly fluxes.

### Optimization method

POpULar (Fujii and Kamachi, 2003; Fujii, 2005; Niwa et al., 2017b)

a quasi-Newton BFGS method

### Prescribed flux

fossil fuel: GCP-GridFEDv2023.1 (Jones et al., 2022)

<https://doi.org/10.5281/zenodo.7016360>

terrestrial biosphere (GPP, RE, LUC): VISIT (Ito and Inatomi, 2012; Ito, 2019)

air-sea exchange: JMA air-sea flux data (Iida et al., 2021)

[https://www.data.jma.go.jp/gmd/kaiyou/english/co2\\_flux/co2\\_flux\\_data\\_en.html](https://www.data.jma.go.jp/gmd/kaiyou/english/co2_flux/co2_flux_data_en.html)

biomass burning: GFEDv4.1s (van der Werf et al., 2017)

Note: For the years GFED does not cover (i.e., 1990-1996), the climatological data were used.

### Analysis period

Jan 1990 – Dec 2022

(one year spin-up of Jan 1989 – Dec 1989 and three month spin-down of Jan 2023 – Mar 2023)

### References

- Fujii, Y.: Preconditioned Optimizing Utility for Large-dimensional analyses (POpULar), *J. Oceanogr.*, 61, 167–181, <https://doi.org/10.1007/s10872-005-0029-z>, 2005.
- Fujii, Y. and Kamachi, M.: A nonlinear preconditioned quasi-Newton method without inversion of a first-guess covariance matrix in variational analyses, *Tellus A*, 55, 450–454, <https://doi.org/10.1034/j.1600-0870.2003.00030.x>, 2003.
- Iida, Y., Kojima, A., Takatani, Y., Nakano, T., Sugimoto, H., Midorikawa, T., and Ishii, M.: Trends in pCO<sub>2</sub> and sea-air CO<sub>2</sub> flux over the global open oceans for the last two decades, *J. Oceanogr.*, 71, <https://doi.org/10.1007/s10872-015-0306-4>, 2015.
- Ito, A.: Disequilibrium of terrestrial ecosystem CO<sub>2</sub> budget caused by disturbance-induced emissions and non-CO<sub>2</sub> carbon export flows: a global model assessment, *Earth System Dynamics*, 10, 685–709, <https://doi.org/10.5194/esd-10-685-2019>, 2019.
- Ito, A. and Inatomi, M.: Use of a process-based model for assessing the methane budgets of global terrestrial ecosystems and evaluation of uncertainty, *Biogeosciences*, 9, 759–773, <https://doi.org/10.5194/bg-9-759-2012>, 2012.
- Jones, M.W., Andrew, R.M., Peters, G.P., Janssens-Maenhout, G., De-Gol, A. J., Ciais, P., Patra, P. K., Chevallier, F., and Le Quéré, C.: Gridded fossil CO<sub>2</sub> emissions and related O<sub>2</sub> combustion consistent with national inventories 1959–2018, *Sci Data* 8, 2, <https://doi.org/10.1038/s41597-020-00779-6>, 2021.
- Kobayashi, S., Ota, Y., Harada, Y., Ebita, A., Moriya, M., Onoda, H., Onogi, K., Kamahori, H., Kobayashi, C., Endo, H., Miyaoka, K. and Takahashi, K.: The JRA-55 Reanalysis: General Specifications and Basic Characteristics, *J. Meteor. Soc. Japan*, 93, 5–48, <https://doi.org/10.2151/jmsj.2015-001>, 2015.
- Niwa, Y., Tomita, H., Satoh, M., and Imasu, R.: A Three-Dimensional Icosahedral Grid Advection Scheme Preserving Monotonicity and Consistency with Continuity for Atmospheric Tracer Transport, *J. Meteor. Soc. Japan*, 89, 255–268, <https://doi.org/10.2151/jmsj.2011-306>, 2011.
- Niwa, Y., Tomita, H., Satoh, M., Imasu, R., Sawa, Y., Tsuboi, K., Matsueda, H., Machida, T., Sasakawa, M., Belan, B., and Saigusa, N.: A 4D-Var inversion system based on the icosahedral grid model (NICAM-TM 4D-Var v1.0) – Part 1: Offline forward and adjoint transport models, *Geosci. Model Dev.*, 10, 1157–1174, <https://doi.org/10.5194/gmd-10-1157-2017>, 2017a.
- Niwa, Y., Fujii, Y., Sawa, Y., Iida, Y., Ito, A., Satoh, M., Imasu, R., Tsuboi, K., Matsueda, H., and Saigusa, N.: A 4D-Var inversion system based on the icosahedral grid model (NICAM-TM 4D-Var v1.0) – Part 2: Optimization scheme and identical twin experiment of atmospheric CO<sub>2</sub> inversion, *Geosci. Model Dev.*, 10, 2201–2219, <https://doi.org/10.5194/gmd-10-2201-2017>, 2017b.
- Niwa, Y., Sawa, Y., Nara, H., Machida, T., Matsueda, H., Umezawa, T., Ito, A., Nakaoka, S.-I., Tanimoto, H., and Tohjima Y.: Estimation of fire-induced carbon emissions from Equatorial Asia

in 2015 using in situ aircraft and ship observations, *Atmos. Chem. Phys.*, 21, 9455–9473, <https://doi.org/10.5194/acp-21-9455-2021>, 2021

- Niwa, Y., Ishijima, K., Ito, A., and Iida, Y.: Toward a long-term atmospheric CO<sub>2</sub> inversion for elucidating natural carbon fluxes: technical notes of NISMON-CO<sub>2</sub> v2021.1, *Prog. Earth Planet Sci.*, 9, 42, <https://doi.org/10.1186/s40645-022-00502-6>, 2022
- Takatani, Y., Enyo, K., Iida, Y., Kojima, A., Nakano, T., Sasano, D., Kosugi, N., Midorikawa, T., Suzuki, T., and Ishii, M.: Relationships between total alkalinity in surface water and sea surface dynamic height in the Pacific Ocean, *J. Geophys. Res.*, 119, 2806–2814, <https://doi.org/10.1002/2013jc009739>, 2014.
- van der Werf, G. R., Randerson, J. T., Giglio, L., van Leeuwen, T. T., Chen, Y., Rogers, B. M., Mu, M., van Marle, M. J. E., Morton, D. C., Collatz, G. J., Yokelson, R. J., and Kasibhatla, P. S.: Global fire emissions estimates during 1997–2016, *Earth Syst. Sci. Data*, 9, 697–720, <https://doi.org/10.5194/essd-9-697-2017>, 2017.

## 2. Main changes from NISMON-CO<sub>2</sub> ver.2022.1

- Prior fluxes  
Prior terrestrial fluxes include minor fluxes (BVOC and CH<sub>4</sub>) in addition to GPP, RE and LUC from VISIT (Ito, 2019). The minor fluxes are not optimized in the inversion.

## 3. Observations

See observation\_list.ver.2023.1.csv.

Basically, all the ObsPack data ([obspack\\_co2\\_1\\_GLOBALVIEWplus\\_v8.0\\_2022-08-27](#) (Shuldt et al., 2022) & [obspack\\_co2\\_1\\_NRT\\_v8.2\\_2023-06-13](#) (Shuldt et al., 2023)) provided from CSIRO, ECCC, Empa, FMI, IPEN, JMA, LSCE, NCAR, NIES, NILU, NIWA, NOAA, SIO, and TU/NIPR with obs\_flag=1 were used. In addition, the NIES data, which are available from the NIES database NIES-GED, were also used.

## References

- Kenneth N. Schuldt, John Mund, Ingrid T. Luijckx, Tuula Aalto, James B. Abshire, Ken Aikin, Arlyn Andrews, Shuji Aoki, Francesco Apadula, Bianca Baier, Peter Bakwin, Jakub Bartyzel, Gilles Bentz, Peter Bergamaschi, Andreas Beyersdorf, Tobias Biermann, Sebastien C. Biraud, Harald Boenisch, David Bowling, Gordon Brailsford, Willi A. Brand, Huilin Chen, Gao Chen, Lukasz Chmura, Shane Clark, Sites Climadat, Aurelie Colomb, Roisin Commane, Sébastien Conil, Cedric Couret, Adam Cox, Paolo Cristofanelli, Emilio Cuevas, Roger Curcoll, Bruce Daube, Kenneth Davis, Martine De Mazière, Stephan De Wekker, Julian Della Coletta, Marc Delmotte, Joshua P. DiGangi, Ed Dlugokencky, James W. Elkins, Lukas Emmenegger, Shuangxi Fang, Marc L. Fischer, Grant Forster, Arnoud Frumau, Michal Galkowski, Luciana V. Gatti, Torsten Gehrlein, Christoph Gerbig, Francois Gheusi, Emanuel Gloor, Vanessa Gomez-Trueba, Daisuke Goto, Tim Griffis, Samuel Hammer, Chad Hanson, László Haszpra, Juha Hatakka, Martin Heimann, Michal Heliasz, Daniela Heltai, Arjan Hensen, Ove Hermanssen, Eric Hintsa, Antje Hoheisel, Jutta Holst, Viktor Ivakhov, Dan Jaffe, Armin Jordan, Warren Joubert, Anna Karion, Stephan R. Kawa, Victor Kazan, Ralph Keeling, Petri Keronen, Jooil Kim, Tobias Kneuer, Pasi Kolari, Katerina Kominkova, Eric Kort, Elena Kozlova, Paul Krummel, Dagmar Kubistin, Casper Labuschagne, David H. Lam, Xin Lan, Ray Langenfelds, Olivier Laurent, Tuomas Laurila, Thomas Lauvaux, Jost Lavric, Bev Law, Olivia S. Lee, John Lee, Irene Lehner, Kari Lehtinen, Reimo Leppert, Ari Leskinen, Markus Leuenberger, Ingeborg Levin, Janne Levula, John Lin, Matthias Lindauer, Zoe Loh, Morgan Lopez, Chris R. Lunder,

Toshinobu Machida, Ivan Mammarella, Giovanni Manca, Alistair Manning, Andrew Manning, Michal V. Marek, Melissa Y. Martin, Giordane A. Martins, Hidekazu Matsueda, Kathryn McKain, Harro Meijer, Frank Meinhardt, Lynne Merchant, N. Mihalopoulos, Natasha Miles, John B. Miller, Charles E. Miller, Logan Mitchell, Stephen Montzka, Fred Moore, Heiko Mooszen, Eric Morgan, Josep-Anton Morgui, Shinji Morimoto, Bill Munger, David Munro, Cathrine L. Myhre, Meelis Mölder, Jennifer Müller-Williams, Jaroslaw Necki, Sally Newman, Sylvia Nichol, Yosuke Niwa, Simon O'Doherty, Florian Obersteiner, Bill Paplawsky, Jeff Peischl, Olli Peltola, Salvatore Piacentino, Jean M. Pichon, Steve Piper, Joseph Pitt, Christian Plass-Duelmer, Stephen M. Platt, Steve Prinzivalli, Michel Ramonet, Ramon Ramos, Enrique Reyes-Sanchez, Scott Richardson, Haris Riris, Pedro P. Rivas, Michael Rothe, Thomas Ryerson, Kazuyuki Saito, Maryann Sargent, Motoki Sasakawa, Bert Scheeren, Martina Schmidt, Tanja Schuck, Marcus Schumacher, Thomas Seifert, Mahesh K. Sha, Paul Shepson, Michael Shook, Christopher D. Sloop, Paul Smith, Martin Steinbacher, Britton Stephens, Colm Sweeney, Lise L. Sørensen, Pieter Tans, Kirk Thoning, Helder Timas, Margaret Torn, Pamela Trisolino, Jocelyn Turnbull, Kjetil Tørseth, Alex Vermeulen, Brian Viner, Gabriela Vitkova, Stephen Walker, Andrew Watson, Ray Weiss, Steve Wofsy, Justin Worsey, Doug Worthy, Dickon Young, Sönke Zaehle, Andreas Zahn, Miroslaw Zimnoch, Rodrigo A. de Souza, Alcide G. di Sarra, Danielle van Dinther, Pim van den Bulk; Multi-laboratory compilation of atmospheric carbon dioxide data for the period 1957-2021; [obspack\\_co2\\_1\\_GLOBALVIEWplus\\_v8.0\\_2022-08-27](http://doi.org/10.25925/20220808); NOAA Earth System Research Laboratory, Global Monitoring Laboratory. <http://doi.org/10.25925/20220808>.

- Kenneth N. Schuldt, Andrew R. Jacobson, Tuula Aalto, Arlyn Andrews, Francesco Apadula, Sabrina Arnold, Peter Bakwin, Peter Bergamaschi, Tobias Biermann, Sébastien C. Biraud, Huilin Chen, Aurelie Colomb, Sébastien Conil, Cédric Couret, Paolo Cristofanelli, Martine De Mazière, Stephan De Wekker, Marc Delmotte, Lukas Emmenegger, Marc L. Fischer, Grant Forster, Juha Hatakka, Michal Heliasz, Daniela Heltai, Ove Hermansen, Antje Hoheisel, Jutta Holst, Daniel A. Jaffe, Anna Karion, Victor Kazan, Petri Keronen, Tobias Kneuer, Katerina Kominkova, Dagmar Kubistin, Xin Lan, Olivier Laurent, Tuomas Laurila, John Lee, Irene Lehner, Kari Lehtinen, Ari Leskinen, Markus Leuenberger, Matthias Lindauer, Morgan Lopez, Chris R. Lunder, Ivan Mammarella, Giovanni Manca, Michal V. Marek, Kathryn McKain, Frank Meinhardt, John B. Miller, Charles E. Miller, Cathrine L. Myhre, Meelis Mölder, Jennifer Müller-Williams, Salvatore Piacentino, Jean M. Pichon, Penelope Pickers, Joseph Pitt, Christian Plass-Dülmer, Stephen M. Platt, Michel Ramonet, Bert Scheeren, Martina Schmidt, Marcus Schumacher, Mahesh K. Sha, Christopher D. Sloop, Paul D. Smith, Martin Steinbacher, Colm Sweeney, Lise L. Sørensen, Pieter Tans, Kirk Thoning, Pamela Trisolino, Kjetil Tørseth, Brian Viner, Gabriela Vitkova, Doug Worthy, Alcide G. di Sarra; Multi-laboratory compilation of atmospheric carbon dioxide data for the period 2022-2023; [obspack\\_co2\\_1\\_NRT\\_v8.2\\_2023-06-13](http://doi.org/10.25925/20230601); NOAA Earth System Research Laboratory, Global Monitoring Laboratory. <http://doi.org/10.25925/20230601>.

#### 4. Transport model performances

##### Advection scheme, radon simulation

- Niwa, Y., Tomita, H., Satoh, M., and Imasu, R.: A Three-Dimensional Icosahedral Grid Advection Scheme Preserving Monotonicity and Consistency with Continuity for Atmospheric Tracer Transport, *J. Meteor. Soc. Japan*, 89, 255–268, <https://doi.org/10.2151/jmsj.2011-306>, 2011.

##### SF<sub>6</sub> simulation

- Niwa, Y., Machida, T., Sawa, Y., Matsueda, H., Schuck, T. J., Brenninkmeijer, C. A. M., Imasu, R., and Satoh, M.: Imposing strong constraints on tropical terrestrial CO<sub>2</sub> fluxes using

passenger aircraft based measurements, *J. Geophys. Res.*, 117,  
<https://doi.org/10.1029/2012JD017474>, 2012.

Model intercomparison

- Patra, P. K., Law, R. M., Peters, W., Rödenbeck, C., Takigawa, M., Aulagnier, C., Baker, I., Bergmann, D. J., Bousquet, P., Brandt, J., Bruhwiler, L., Cameron-Smith, P. J., Christensen, J. H., Delage, F., Denning, A. S., Fan, S., Geels, C., Houweling, S., Imasu, R., Karstens, U., Kawa, S. R., Kleist, J., Krol, M. C., Lin, S.-J., Lokupitiya, R., Maki, T., Maksyutov, S., Niwa, Y., Onishi, R., Parazoo, N., Pieterse, G., Rivier, L., Satoh, M., Serrar, S., Taguchi, S., Vautard, R., Vermeulen, A. T., and Zhu, Z.: TransCom model simulations of hourly atmospheric CO<sub>2</sub>: Analysis of synoptic-scale variations for the period 2002–2003, *Global Biogeochem. Cy.*, 22, doi:10.1029/2007GB003081, 2008.
- Law, R. M., Peters, W., Rödenbeck, C., Aulagnier, C., Baker, I., Bergmann, D. J., Bousquet, P., Brandt, J., Bruhwiler, L., Cameron-Smith, P. J., Christensen, J. H., Delage, F., Denning, A. S., Fan, S., Geels, C., Houweling, S., Imasu, R., Karstens, U., Kawa, S. R., Kleist, J., Krol, M. C., Lin, S.-J., Lokupitiya, R., Maki, T., Maksyutov, S., Niwa, Y., Onishi, R., Parazoo, N., Patra, P. K., Pieterse, G., Rivier, L., Satoh, M., Serrar, S., Taguchi, S., Takigawa, M., Vautard, R., Vermeulen, A. T., and Zhu, Z.: TransCom model simulations of hourly atmospheric CO<sub>2</sub>: Experimental overview and diurnal cycle results for 2002, *Global Biogeochem. Cy.*, 22, GB3009, doi:10.1029/2007GB003050, 2008.
- Niwa, Y., Patra, P. K., Sawa, Y., Machida, T., Matsueda, H., Belikov, D., Maki, T., Ikegami, M., Imasu, R., Maksyutov, S., Oda, T., Satoh, M., and Takigawa, M.: Three-dimensional variations of atmospheric CO<sub>2</sub>: aircraft measurements and multi-transport model simulations, *Atoms. Chem. Phys.*, 11, 13 359–13 375, <https://doi.org/10.5194/acp-11-13359-2011>, 2011.